

Complete evaluation criteria for the assessment of the mentioned accommodations, restaurants and facilities in "South Tyrol for all" - www.hotel.bz.it

Basic offers					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Car parks					
Floor covering asphalt, cement	Floor covering with firm soil, even paving stones or slabs	Floor covering with little gravel	Floor covering with gravel, uneven slabs and paving stones, grass, chequer bricks	Floor covering with very loose gravel	
	Parking spaces at roadside				
Distance from entrance < 50 m	Distance from entrance > 50 m				
Access paths					
Floor covering, asphalt, cement	Floor covering with firm soil, even paving stones or slabs	Floor covering with little gravel	Floor covering with gravel, uneven slabs and paving stones, grass, chequer bricks	Floor covering with very loose gravel	
Ascending slope ≤7% Lateral inclination ≤3,5%		Ascending slope 7-10% Lateral inclination 3,5-5%	Ascending slope 10-14% Lateral inclination 5-7%	Ascending slope 14-18% Lateral inclination 7-10%	Ascending slope >18% Lateral inclination >10%
Without stairs	(see stairs)				
Slope of a possible ramp ≤10%	(see ramps)				
Width of path >90 cm	Width of path 85-90 cm	Width of path 80-85 cm	Width of path 75-80 cm	Width of path 70-75 cm	Width of path <70 cm
Manoeuvring surface > 140x140 cm	Manoeuvring surface 120x120 - 140x140 cm	Manoeuvring surface <120x120 cm			
No grids	Grids		Length >50 m uneven access path		
Pavement slope to road level with difference in height <15 cm, short ramp <18%			Pavement slope to road level with difference in height >15 cm, short ramp >18%		

Basic offers					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Ramps					
Gradient $\leq 10\%$	Gradient 10%-12%	Gradient 12%-14%	Gradient 14%-16%	Gradient $> 16\%$	
Length < 10 m or > 10 m with intermediate level as resting surface	Length > 10 m without intermediate level as resting surface	Without intermediate level i.e. possibility to stop in front of a door			
Width 90-150 cm		Width 85-90 cm	Width 75-85 cm	Width 70-75 cm	Width < 70 cm
	Mobile ramp - curvilinear				
With handrail or kerbstone	Without handrail or kerbstone if the ramp is longer than 10 m	No kerbstones			
Floor covering asphalt, cement	Floor covering with firm soil, even paving stones or slabs	Floor covering with little gravel	Floor covering with gravel, uneven slabs and paving stones, grass, chequer bricks	Floor covering with very loose gravel	
Reception					
Entrance door > 90 cm	Entrance door 80-90 cm	Entrance door 75-80 cm	Entrance door 70-75 cm		
Door opens easily	Fire doors	Door does not open easily			
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface $120 \times 120 - 140 \times 140$ cm	Manoeuvring surface $< 120 \times 120$ cm			
Reception table/cash desk < 100 cm	Reception table/cash desk 100-120 cm	Reception table/cash desk > 120 cm			
Threshold $\leq 2,5$ cm	(see stairs)				
Gradient of a possible ramp $< 10\%$	(see ramps)				
	Carpeted floor/carpets				
Stairs					
Rise $\leq 2,5$ cm	Rise between 3 and 5 cm	Rise between 5 and 10 cm	1 step present		2 or more steps
Width > 120 cm	Width 100-120 cm	Width 90-100 cm	Width 80-90 cm	Width 70-80 cm	Width < 70 cm
		Spiral type steps			
	Absence of handrail for > 3 Steps				

Basic offers					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Stairlift - Lifting platform					
Conforming to standards	Inappropriate operation panel	Platform of stairlift or lifting platform can only be unfolded and snapped shut with difficulties	Utilization only with the help of an accompanying person		
Lifts					
Depth ≥ 140 cm	Depth 130-140 cm	Depth 120-130 cm	Depth 110-120 cm	Depth 100-110 cm	Depth < 100 cm
Width ≥ 110 cm	Width 95-110 cm	Width 85-95 cm	Width 80-85 cm	Width 75-80 cm	Width < 75 cm
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
External manoeuvring surface $> 140 \times 140$ cm	Manoeuvring surface $120 \times 120 - 140 \times 140$ cm	manoeuvring surface $< 120 \times 120$ cm			Lift with wing door
	No Braille	Light barrier and/or light contact strips are missing	Height of operation panel > 140 cm		
Corridors					
Width > 80 cm		Width 75-80 cm			Width < 75 cm
Raise $\leq 2,5$ cm	(see stairs)				
Gradient of a possible ramp $\leq 10\%$	(see ramps)				
Every 10 m manoeuvring surface $> 140 \times 140$ cm	Length > 10 m, manoeuvring surface $> 140 \times 140$ cm				
	manoeuvring surface $140 \times 140 - 120 \times 120$ cm	manoeuvring surface $< 120 \times 120$ cm			
	Carpeted floor/carpets				
Room - Suite					
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Height of bed > 45 cm	Height of bed ≤ 45 cm				
Free space to bed on one side at least > 120 cm	Free space to bed on one side at least 100-120 cm	Free space to bed on one side at least 80-100 cm		Access to bed only possible from bed end (lateral free space to bed < 80 cm)	

Possibility to move around comfortably in the whole room	Narrow points 70-80 cm		Free moving space in room is very restricted (furniture cannot be moved)		
	Carpeted floor/carpets				

Basic offers

Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Holiday Flat					
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Height of bed > 45 cm	Height of bed ≤ 45 cm				
Free space to bed on one side at least > 120 cm	Free space to bed on one side at least 100-120 cm	Free space to bed on one side at least 80-100 cm		Free space to bed on one side at least (lateral free space to bed < 80 cm)	
Possibility to move around comfortably in the whole holiday flat	Narrow points 70-80 cm		Free moving space in holiday flat is very restricted (furniture cannot be moved)		
Free space in kitchen > 130 cm wide	Free space in kitchen 120-140 cm wide	Free space in kitchen 80-120 cm wide	Free space in kitchen 70-80 cm wide	Free space in kitchen < 70 cm wide	
Free space under the table ≥ 68 cm			Free space under the table < 68 cm		
No central table column	Central table column				
	Carpeted floor/carpets				

Basic offers					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Bathroom in Guest Room and Holiday Flat					
Manoeuvring space >140 cm		Manoeuvring space 100-140 cm with bathroom door that opens towards outside or sliding door	Manoeuvring space 100-140 cm with bathroom door that only opens towards inside	Manoeuvring space strongly reduced	
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door <65 cm
WC approachable with wheelchair from the side		WC approachable only from the front in wheelchair but with grab handle	WC approachable only from the front in wheelchair and without grab handle		
Washbasin approachable from the front in wheelchair	Washbasin approachable with wheelchair at a 45° angle	Free space under the wash basin < 68 cm			
Height of mirror <100 cm	Height of mirror >100 cm				
open shower or shower box >80x80 cm with shower rim ≤2,5 cm	open shower or shower box with shower rim 3-5 cm	open shower or shower box with shower rim 5-10 cm	open shower or shower box with shower rim 10-15 cm	open shower or shower box with shower rim >15 cm	
Door width shower box > 80 cm	Door width shower box 75-80 cm	Door width shower box 70-75 cm	Door width shower box <70 cm		
approachable bath			Bath not approachable		
Grab handles present (WC grab handle and grab handle + fixed seat in shower)	No grab handles (no grab handle WC and no grab handle + no fix seat in shower)				
Balcony - Terrace					
Balcony depth >150 cm	Balcony depth 140-150 cm	Balcony depth 130-140 cm	Balcony depth 120-130 cm	Balcony depth 110-120 cm	Balcony depth <110 cm
Threshold ≤2,5 cm	Threshold 3-5 cm	Threshold 5-10 cm	Threshold 10-15 cm	Threshold >15 cm	
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door <65 cm

Basic offers					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Restaurant - Dining room - Breakfast room					
Raise $\leq 2,5$ cm	(see stairs)				
possible ramp with gradient $\leq 10\%$	(see ramps)				
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface $120 \times 120 - 140 \times 140$ cm with movable tables	Manoeuvring surface $< 120 \times 120$ cm without movable tables			
Free space under table ≥ 68 cm			Free space under table < 68 cm		
No central table column	Central table column				
	Carpeted floor/carpets				
Further sanitary installations					
Manoeuvring space > 140 cm		Manoeuvring space 100-140 cm with bathroom door that opens towards outside or sliding door	Manoeuvring space 100-140 cm with bathroom door that only opens towards inside	Manoeuvring space strongly reduced	
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Raise $\leq 2,5$ cm	(see stairs)				
possible ramp with a gradient of $\leq 10\%$	(see ramps)				
WC approachable with wheelchair from the side		WC approachable only from the front in wheelchair but with grab handle	WC approachable only from the front in wheelchair and without grab handle		
Grab handles present	No grab handles				
Washbasin approachable from the front in wheelchair	Free space under washbasin ≥ 68 cm			Water tap: Pedal - Push button on floor	
Light switch in tangible distance or motion detector for light		Time switch for light and light switch not in tangible distance			

Day Rooms

Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Bar - Traditional wood panelled room (Stube) - Tavern - Conference room - Other rooms					
Raise ≤2,5 cm	(see stairs)				
Possible ramp with a gradient of ≤10%	(see ramps)				
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door <65 cm
Manoeuvring surface >140x140 cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm with movable tables	Manoeuvring surface <120x120 cm without movable tables			
No central table column	Central column (if area has tables that are laid to eat)				
	Carpeted floor/carpets				
Terrace					
Raise ≤2,5 cm	(see balcony)				
possible ramp with a gradient of ≤10%	(see ramps)				
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door <65 cm
Manoeuvring surface >140x140 cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm with movable tables	Manoeuvring surface <120x120 cm without movable tables			
No central table column	Central table column (if area has tables that are laid to eat)				

Day Rooms					
Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Children's Play Room - Entertainment Room					
Raise $\leq 2,5$ cm	(see stairs)				
possible ramp with a gradient of $\leq 10\%$	(see ramps)				
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm	Manoeuvring surface $< 120 \times 120$ cm			
	Carpeted floor/carpets				
Garden - Sun Bathing Lawn - Children's Playground - Sports Complex					
Floor covering of access path: asphalt, cement, wood, tiles, marble	Floor covering of access path: firm soil, even paving stones or slabs	Floor covering of access path: little gravel	Floor covering of access path: gravel, uneven slabs and paving stones, grass	Floor covering of access path: loose gravel	
Raise $\leq 2,5$ cm	(see stairs)				
possible ramp with gradient of $\leq 10\%$	(see ramps)				
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm	Manoeuvring surface $< 120 \times 120$ cm			
Even garden		Unevenness		Strong unevenness	

Wellness - Beauty

Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Public swimming pools					
Floor covering of access path: asphalt, cement, wood, tiles, marble	Floor covering of access path: firm soil, even paving stones or slabs	Floor covering of access path: little gravel	Floor covering of access path: gravel, uneven slabs and paving stones, grass	Floor covering of access path: loose gravel	
Raise $\leq 2,5$ cm	(see stairs)				
Possible ramp with a gradient of $\leq 10\%$	(see ramps)				
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface $120 \times 120 - 140 \times 140$ cm	Manoeuvring surface $< 120 \times 120$ cm			
Access with swimming pool lift	Access to pool via ramp or steps	Access to pool via swimming pool ladder			
Handrail present	Handrail missing				
Shower accessible in wheelchair	No shower accessible in wheelchair				
Sauna - Steam Bath					
Raise $\leq 2,5$ cm	(see stairs)				
Possible ramp with a gradient of $\leq 10\%$	(see ramps)				
Width of door ≥ 80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface $> 140 \times 140$ cm inside and outside	Manoeuvring surface $120 \times 120 - 140 \times 140$ cm	Manoeuvring surface $< 120 \times 120$ cm			
Sauna cabin door > 70 cm		Sauna cabin door width 65-70 cm		Sauna cabin door width < 65 cm	
Threshold of cabin $\leq 2,5$ cm	Threshold of cabin 3-5 cm	Threshold of cabin 5-10 cm	Threshold of cabin 10-15 cm	Threshold of cabin > 15 cm	

Wellness - Beauty

Excellent accessibility	Good accessibility	Satisfactory accessibility	Limited accessibility	Accessibility only with assistance	Not accessible
Wellness					
Raise ≤2,5 cm	(see stairs)				
Possible ramp with a gradient of ≤10%	(see ramps)				
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door < 65 cm
Manoeuvring surface >140x140 cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm	Manoeuvring surface <120x120 cm			
Day bed / tub approachable from the side in wheelchair				Day bed / tub not approachable from the side in wheelchair	
Height of day bed / tub is 45-65 cm				Height of day bed / tub is <45 or >65 cm	
Grab handle / handrail present	No grab handle / handrail				
	Carpeted floor/carpets				
Beauty Centre - Solarium - Relaxation Room - Fitness					
Raise ≤2,5 cm	(see stairs)				
Possible ramp with a gradient of ≤10%	(see ramps)				
Width of door ≥80 cm	Width of door 75-80 cm	Width of door 70-75 cm		Width of door 65-70 cm	Width of door <65 cm
Manoeuvring surface >140x140 cm inside and outside	Manoeuvring surface 120x120 - 140x140 cm	Manoeuvring surface <120x120 cm			
	Carpeted floor/carpets				